

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	67	jiang near3 sam adj shiaw-shiang. in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 08:06
S8	520	(window buffer memory) with (chang\$3 dynamic vary\$3) with transmitter with receiver	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/12 13:10
S9	203	(window buffer memory) with (chang\$3 dynamic vary\$3) with transmitter with receiver with (data PDU packet datagram frame block burst)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/12 13:13
S12	111	(window buffer memory) with (chang\$3 dynamic vary\$3) with transmitter with receiver with (data PDU packet datagram frame block burst) and ("455"/\$ "370"/\$ "375"/\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/12 13:14
S14	91	(window buffer memory) with (chang\$3 dynamic vary\$3) with transmitter with receiver with (data PDU packet datagram frame block burst) and ("455"/\$ "370"/\$ "375"/\$) and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/12 13:32
S15	744	receiv\$3 same transmit\$4 same (chang\$3 dynamic vary\$3 mov\$3) same window same (data PDU packet datagram frame block burst) and ("455"/\$ "370"/\$ "375"/\$) and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/12 13:34
S16	262	receiv\$3 with transmit\$4 with (chang\$3 dynamic vary\$3 mov\$3) with window with (data PDU packet datagram frame block burst)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 13:35
S17	180	receiv\$3 with transmit\$4 with (chang\$3 dynamic vary\$3 mov\$3) with window with (data PDU packet datagram frame block burst) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:31

## EAST Search History

S18	215	receiv\$3 with transmit\$4 with (adjust\$3 chang\$3 vary\$3 mov\$3) with window with (data PDU packet datagram frame block burst) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 15:05
S19	20	receiv\$3 with transmit\$4 with (adjust\$3 chang\$3 vary\$3 mov\$3) with window with (data PDU packet datagram frame block burst) with (ACK acknowledgement) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 14:33
S20	50	receiv\$3 with transmit\$4 with (adjust\$3 chang\$3 vary\$3 mov\$3) with window with (data PDU packet datagram frame block burst) and (370/235 370/236 370/252 370/253 370/394 370/346) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 16:42
S21	40	S20 not S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 15:38
S23	5	reception with transmission with window with (adjust\$3 chang\$3 vary\$3 mov\$3) with (data PDU packet datagram frame block burst) and (370/235 370/236 370/252 370/253 370/394 370/346) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 16:46
S24	441	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) and (370/235 370/236 370/252 370/253 370/394 370/346) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 16:47
S25	79	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) with (ack acknowledgement) and (370/235 370/236 370/252 370/253 370/394 370/346) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:33

## EAST Search History

S26	19	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) with status and (370/235 370/236 370/252 370/253 370/394 370/346) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:52
S27	448	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) with status and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:52
S28	10	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) with (status SUFI superfield control) with (confirm notice) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 17:58
S29	118	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) with (status SUFI superfield control) with (predetermined predefined) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:00
S30	26	window with (adjust\$3 chang\$3 vary\$3 mov\$3 increas\$3 reduc\$3) with (data PDU packet datagram frame block burst) with (status SUFI superfield control) with (predetermined predefined) with time and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/12 18:01
S31	25	(SUFI super adj field superfield) with window with (chang\$3 mov\$3 increas\$3 decreas\$3 reduc\$3 adjust\$3 vary\$3 size)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/13 09:59
S37	371	receiv\$3 with window with (chang\$3 mov\$3 increas\$3 decreas\$3 reduc\$3 adjust\$3 vary\$3 size) with (predetermined predefined) with (time period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:04

## EAST Search History

S38	255	receiv\$3 with window with (chang\$3 mov\$3 increas\$3 decreas\$3 reduc\$3 adjust\$3 vary\$3 size) with (predetermined predefined) with (time period) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:11
S41	3	receiv\$3 with (discard\$3 drop\$4) with (data PDU datagram packet frame burst block) with window with (predetermined predefined) with (time period) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:19
S42	91	(receiv\$3 terminat\$3 mobile PDA destination) same (discard\$3 drop\$4) same (data PDU datagram packet frame burst block) same window same (predetermined predefined) same (time period) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 14:26
S43	32	(receiv\$3 terminat\$3 mobile PDA destination transceiver) same (discard\$3 drop\$4) same (data PDU datagram packet frame burst block) same (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3) same window same (predetermined predefined) same (time period) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:06
S44	724	(receiv\$3 terminat\$3 mobile PDA destination transceiver) same (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) same window same (predetermined predefined) same (time period) same (data PDU datagram packet frame burst block) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:09
S45	59	(receiv\$3 terminat\$3 mobile PDA destination transceiver) with (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) with window with (predetermined predefined) with (time period) with (data PDU datagram packet frame burst block) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:30

## EAST Search History

S46	5	(receiv\$3 terminat\$3 mobile PDA destination transceiver) with (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) with (window near\$3 size) with (predetermined predefined) with (time period) with (data PDU datagram packet frame burst block) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 15:41
S48	38	(receiv\$3 terminat\$3 mobile PDA destination transceiver) same (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) same (window near\$3 size) same (predetermined predefined) with (time period) same (data PDU datagram packet frame burst block) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 17:31
S51	177	(receiver terminal mobile PDA destination transceiver) same (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) same window same (predetermined predefined) with (time period) same (data PDU datagram packet frame burst block) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:15
S52	103	(receiver terminal mobile PDA destination transceiver) same (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) same window same (size length parameter) same (predetermined predefined) with (time period) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:55
S59	12	(receiver terminal mobile PDA destination transceiver) same (increas\$3 adjust\$3 reduc\$3 mov\$3 chang\$3 vary\$3) same (counter TTI) same window same (size length parameter) same (predetermined predefined) same (time period) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 18:58
S62	13	window same (size length parameter) same (TTI transmission adj time adj interval) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 19:01

## EAST Search History

S63	7	PDU with count\$3 with window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 08:11
S64	21	receiv\$3 with PDU same count\$3 same window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 16:28
S65	1	"709994".apn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 10:30
S66	84	Seung near2 june near2 yi.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 10:32
S67	17	Seung near2 june near2 yi.in. and window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 11:25
S68	2	(discard near3 acknowledgement) with window with (WSN window adj size adj number advertisement control)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 12:03
S69	7	(discard near3 acknowledgement) same window same (WSN window adj size adj number advertisement control)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 12:05
S70	20	window with receiv\$3 with (WSN window adj size adj number advertisement control) with PDU and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:19
S71	9	(discard\$3 drop\$4) with (ack acknowledgement) with window with (equal "same")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:34
S72	29	(discard\$3 drop\$4) with (ack acknowledgement) same window same (equal "same")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:37
S73	3	(discard\$3 drop\$4) same (ack acknowledgement) same (WSN window adj size adj number)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:39
S74	50	(discard\$3 drop\$4) with (ack acknowledgement) with (receiv\$3 transmit\$4) with window	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:49
S75	198	receiv\$3 with window with (size length parameter WSN) with (predetermined predefined) with (time period)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:53
S76	155	receiv\$3 with window with (size length parameter WSN) with (predetermined predefined) with (time period) and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:53

## EAST Search History

S77	79	receiv\$3 with window with (size length parameter WSN) with (predetermined predefined) with (time period) and ("370"/\$ "455"/\$ "375"/\$ "709"/\$) and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 13:54
S78	14	receiv\$3 with (chang\$3 adjust\$3 increas\$3 decreas\$3 reduc\$3 mov\$3) with window with (size length parameter WSN) with (predetermined predefined) with (time period) and ("370"/\$ "455"/\$ "375"/\$ "709"/\$) and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 14:28
S79	77	receiv\$3 same (chang\$3 adjust\$3 increas\$3 decreas\$3 reduc\$3 mov\$3) same window same (size length parameter WSN) same (predetermined predefined) with (time period) and ("370"/\$ "455"/\$ "375"/\$ "709"/\$) and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 15:15
S81	9	(PDU data burst packet frame cell block datagram) with (outside beyond external) with (intended requested) with window with (size length) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:40
S82	115	(PDU data burst packet frame block datagram) same (outside beyond external) same(intended requested) same window same (size length) and @ad<="20030824"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 16:10
S83	3	receiv\$3same PDU same count\$3 same window same (TTI transmission adj time adj interval)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 17:41
S84	70	retransmit\$4 with (ack acknowledgement) with window and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 17:53
S85	6	retransmit\$4 same (ack acknowledgement) same (PDU data datagram packet frame block burst) same (beyond outside) same window and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 17:58

## EAST Search History

S86	6	retransmit\$4 same (advertisement control WSN) same (PDU data datagram packet frame block burst) same (beyond outside) same window and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 18:01
S87	16	(advertisement WSN) same (PDU data datagram packet frame block burst) same (beyond outside) same window and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 18:04
S88	24	retransmit\$4 same (PDU data datagram packet frame block burst) same (beyond outside) same window and @ad<="20030824"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/14 18:05